

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ZFW  
AF

Applicant: Robert G. Hauser et al.

Title: IMPLANTABLE INTRAVENOUS CARDIAC STIMULATION SYSTEM WITH PULSE  
GENERATOR HOUSING SERVING AS OPTIONAL ADDITIONAL ELECTRODE

Docket No.: 279.024US6

Filed: June 19, 2001

Examiner: Scott M. Getzow

Serial No.: 09/884,862

Due Date: July 12, 2005

Group Art Unit: 3762



MS AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

We are transmitting herewith the following attached items (as indicated with an "X"):

- ☒ A return postcard.
- ☒ An Amendment and Response Under 27 C.F.R. 1.116 (7 pgs.).

If not provided for in a separate paper filed herewith, Please consider this a PETITION FOR EXTENSION OF TIME for sufficient number of months to enter these papers and please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer Number 21186

By: Kevin Parker

Atty: J. Kevin Parker

Reg. No. 33,024

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: MS AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 12 day of July, 2005.

Paula Sueny  
Name

Paula Sueny  
Signature

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

(GENERAL)

**EXPEDITED PROCEDURE – EXAMINING GROUP 3762**

**S/N 09/884,862**

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Robert G. Hauser et al. Examiner: Scott M. Getzow  
Serial No.: 09/884,862 Group Art Unit: 3762  
Filed: June 19, 2001 Docket No.: 279.024US6  
Title: IMPLANTABLE INTRAVENOUS CARDIAC STIMULATION SYSTEM  
WITH PULSE GENERATOR HOUSING SERVING AS OPTIONAL  
ADDITIONAL ELECTRODE

---

**AMENDMENT & RESPONSE UNDER 37 C.F.R. 1.116**

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

In response to the Final Office Action dated April 12, 2005, please amend the application as follows: